Examiner: Satyanarayana R. Gudibande

Serial No. 10/518,623

Page 2

AMENDMENTS TO THE CLAIMS

The following listing of claims will replace all prior

versions, and listings, of claims in the application.

1. (previously presented): A nutritional or pharmaceutical

composition comprising: a)-a protein fraction containing L-

serine selected from the group consisting of L-serine, protein

or peptides; and b)-an energy metabolism precursor selected from

glycocyamine (GA), equivalents thereof, and mixtures thereof,

wherein the composition is free of glycine or if glycine is

present within the composition, the weight ratio of L-serine to

glycine after hydrolysis of the composition is more than 2.7:1.

Claims 2-17 (canceled).

18. (previously presented): The composition according to

claim 1, wherein the molar ratio of the energy metabolism

precursor and the excess of L-serine versus glycine is in the

range of 0.1:1 to 10:1.

19. (previously presented): The composition according to

claim 1, wherein the composition further comprises creatine.

Examiner: Satyanarayana R. Gudibande

Serial No. 10/518,623

Page 3

0.2:5.

20. (previously presented): The composition according to claim 3, wherein the energy metabolism precursor and creatine are present within the composition in a weight ratio of at least

21. (previously presented): The composition according to claim 1, wherein the composition further comprises vitamins

selected from the group consisting of vitamin B6, vitamin B12

and folic acid.

22. (previously presented): The composition according to claim 1, wherein the composition further comprises a digestible food grade carbohydrate.

23. (previously presented): The composition according to claim 1, wherein the composition further comprises an aldehyde.

24. (previously presented): The composition according to claim 1, wherein the composition further comprises a mineral selected from the group consisting of magnesium and zinc.

25. (previously presented): The composition according to claim 1, wherein the composition is in a form selected from

Examiner: Satyanarayana R. Gudibande

Serial No. 10/518,623

Page 4

liquid form, powder form, emulsion form, suspension form, gel form, bar form, cookies, and sweets.

- 26. (previously presented): A method for increasing the creatine response within mammalian muscle and methylation reaction capacity in a mammal in need thereof, comprising administering to said mammal an effective amount of the composition according to claim 1.
- 27. (currently amended): The method according to claim 11
 26, wherein the energy metabolism precursor is administered at a
 daily dosage of at least 0.2 g up to 4 g.
- 28. (currently amended): The method according to claim 11
 26, wherein the composition is a nutritional or pharmaceutical supplement and wherein the protein fraction containing L-serine is administered at a daily dosage of at least 1 g.
- 29. (currently amended): The method according to claim 11
 26, wherein the composition is a complete nutritional or
 pharmaceutical composition and wherein the protein fraction
 containing L-serine is administered at a daily dosage of at
 least 4.8 g.

Examiner: Satyanarayana R. Gudibande

Serial No. 10/518,623

Page 5

30. (currently amended): The method according to claim 11
26, wherein the mammal is an athlete.

- 31. (currently amended): The method according to claim 11
 26, wherein the mammal is a disease-affected person, a
 vegetarian person, or an elderly person.
- 32. (currently amended): The method according to claim 11
 26 for the stimulation and/or increase of anabolic processes
 and/or the providing of an increase of the lean body mass,
 and/or prevention and/or treatment of muscle catabolism or even
 cachexia and/or for the improvement of the energy status of
 tissues and cells.
- 33. (currently amended): The method according to claim 11
 26, for the prevention and/or treatment of disorders selected
 from the group consisting of cancer, neurological disorders,
 migraine, allergy, insulin resistance which improves glucose
 tolerance and decreases side effects of diabetes type II,
 cardiovascular and cerebrovascular disorders,
 hypercholesterolaemia, hypertension, subfertility, uncontrolled
 inflammation processes, pneumonia, hearing loss, wound healing,
 gut barrier function and sepsis.